










Process for preparing hydrosoluble copolymers of maleic acid, and their use as water-treating agents

Patent number: EP0276464
Publication date: 1988-08-03
Inventor: DENZINGER WALTER; HARTMANN HEINRICH DR;
GOECKEL ULRICH DR; RICHTER FELIX DR;
RAUBENHEIMER HANS-JUERGEN; WINKLER
EKHARD DR
Applicant: BASF AG (DE)
Classification:
- international: C02F5/14; C08F222/06
- european: C02F5/10; C02F5/12; C02F5/14; C08F222/06
Application number: EP19870119000 19871222
Priority number(s): DE19873700535 19870110

Also published as:

 US5073269 (A1)
 JP63182318 (A)
 EP0276464 (A3)
 DE3700535 (A1)
 EP0276464 (B1)

Cited documents:

 US4202955
 US3755264
 US4126549
 US4522992

Report a data error here

Abstract of EP0276464

A process wherein (a) from 99 to 80 % by weight of maleic anhydride and (b) from 1 to 20 % by weight of a monoethylenically unsaturated monomer which can be copolymerised with maleic anhydride, and, if desired, (c) up to 10 % by weight of a crosslinking agent are copolymerised in an aromatic hydrocarbon at a temperature of from 60 to 200 DEG C in the presence of a peroxy ester derived from a saturated or monoethylenically unsaturated carboxylic acid, and the anhydride groups of the copolymer are subsequently hydrolysed. <??>The copolymers prepared in this way are used as water-treatment agents.

Data supplied from the esp@cenet database - Worldwide